



CERES

®

ceres support b.v.

BAMBOO SPLIT



Natural and coloured available, Splinter free, Can be machine processed,
 Sizes 25-90cm from stock available
 Many options due to own import

Article code	Length cm	Diameter mm	Qty/box	Qty/pallet	Color
50-040-2313	25	3.5	10.000	520.000	blanc
50-040-2317	30	3.0	10.000	400.000	blanc
50-040-2307	40	4.0	4.000	224.000	blanc
50-040-2302	40	4.5	4.000	192.000	blanc
50-040-2308	45	4.5	4.000	192.000	blanc
50-040-2321	50	4.5	3.000	147.000	blanc
50-040-2309	60	5.0	2.500	122.500	blanc

BAMBOO CANES



Good quality Bamboo canes, perfect for supporting
 your longer stemmed and climbing plants

Perfect for planting into pots or directly into the gar-

Article code	Length cm	Diameter mm	Qty/bundle	Qty/pallet
50-040-2349	90	08/10	500	18.000
50-040-2351	122	10/12	250	12.500
50-040-2353	153	10/12	250	5.500
50-040-2356	183	12/14	250	3.500
50-040-2357	183	14/16	200	3.200
50-040-2358	213	14/16	200	On request

Other dimension on request — Phytosanitaire certificate on request

CLIPS



The Clip make twisting in the plants unnecessary: the clip ensures optimal training of the crop and has a perfect closure. The growth of the plant is not hindered. Higher production and better quality. Furthermore, the clip is simple and efficient in use.

Article code	Color	Diameter mm	Qty/box	Boxes/pallet	Qty/pallet
50-040-0001	terracotta	15	14.000	20	280.000
50-040-0002	terracotta	20	9.000	20	180.000
50-040-0004	terracotta	22	10.000	20	200.000
50-040-0006	terracotta	23	10.500	20	210.000
50-040-0008	terracotta	25	10.500	20	210.000

TRUSS SUPPORT

Bends as the plants grows and suitable for various types of cultivation



50-040-0065



50-040-0060




50-040-0015

Article code	Type	Color	Diameter mm	Qty/box	Boxes/pallet	Qty/pallet
50-040-0065	1000	white	6,0	16.000	30	480.000
50-040-0060	superflex	terracotta	5,5	20.000	30	600.000
50-040-0015	HMO	white	6,0	25.000	30	750.000

All available in color naturel and compostable

STEMHOOK



The Stem Hook is essential in the autumn cultivation of truss tomatoes (when the stems are shorter), but can be used all year round.

Article code	Length cm	Qty/box	Boxes/pallet	Qty/pallet	Color
50-040-0019	10	13.000	20	260.000	terracotta
50-040-0020	10	13.000	20	260.000	blanc
50-040-0021	12	8.500	30	255.000	terracotta
50-040-0022	12	8.500	30	225.000	blanc

CULTIVATION PRODUCTS

With a Courgette/Zucchini Hook, you can hook a vine to the twine. This ensures that the vine does not grow away from the wire. The Courgette hook is 28 mm in diameter and the hand grip makes it easy to attach.



Article code	Diameter mm	Qty/box	boxes/pallet	Qty/pallet	Color
50-040-0032	28	4.500	30	135.000	blanc



The Top Hook ensures smooth conduction of tendrils and stems along the crop wire. The hook prevents pinching and breaking of tendrils, resulting in higher production and better quality fruit.


Article code	Qty/box	boxes/pallet	Qty/pallet	Color
50-040-0024	2000	20	40.000	blanc

The 12 cm Side Shoot Hook prevents a shoot from breaking off the main stem: the shoot is hooked onto the stem.



Article code	Qty/box	boxes/pallet	Qty/pallet	Color
50-040-0023	5000	20	100.000	blanc


Ask your local dealer for samples



The 16 cm Stem Support prevents tearing of the plants in grafted and topped tomato plants. This means your crop has less chance of diseases such as Fusarium and Botrytis.

Article code	Diameter mm	Qty/box	boxes/pallet	Qty/pallet	Color
50-040-0064	16	8.000	30	240.000	blanc

GRAFTING CLIPS




With the Bato Grafting Clip Standard you can graft plants according to the Japanese method (the so-called head-grafting). This Grafting Clip is made of soft and flexible material that has the correct light permeability. This guarantees easy grafting and prevents damage to the plant during grafting and during the further growth of the plant.

Article code	Type	Size mm
50-040-0130	optimal	1.2
50-040-0131	Stick slot	1.2
50-040-0075	standard	1.5
50-040-0076	Stick slot	1.5
50-040-0132	Stick slot XL	1.55
50-040-0133	standard	1.6
50-040-0134	Stick slot	1.6
50-040-0077	standard	1.8
50-040-0072	standard	2.0
50-040-0073	Stick slot	2.0
50-040-0071	Stick slot	2.3
50-040-0135	standard	2.5
50-040-0136	Stick slot	2.5

Also available in color white and compostable

TOMATO HOOKS



Length 18cm, 22 and 26cm

With or without twine.

Twine thickness: 1/1000, 1/1200, 1/1500

Color: White, Yellow, Red, Green, Blue, Black etc.

Compostable: 1/500 and 1/1000

Article code	twine	Free faal	Length mm	Qty/box	Qty/pallet	Weight/pallet
50-040-2132	no	no	180	1000	48.000	1121 kg
50-040-2131	no	yes	180	750	36.000	932 kg
50-040-2104	no	no	220	960	46.080	1194 kg
50-040-2103	no	yes	220	960	46.080	1259 kg
50-040-2133	12 mtr	no	180	500	30.000	1083 kg
50-040-2126	12+3mtr	yes	180	375	22.500	945 kg
99-002-1435	15 mtr	no	220	425	27.200	
50-040-2106	12	no	220	450	28.800	
50-040-2101	12+3	yes	220	375	24.000	1083kg
99-002-3287	22+3	yes	220	275	17.600	930 kg
50-040-2110	14+4	yes	220	275	17.600	

Ask for your quotation, Please tell us

Quantity

Length hook 180/220/260mm

With or without free fall

Length, color and type of twine

WINDING MACHINE



- Hookwinder with 6 hook holders
- 1 or 2 twine counters
- Total counter
- Twine length easily set
- Different hook size possible
- Fixed hookholder positioning
- Different twine types can be wound
- Easy operate with start button
- Maintenance free

Article code	hooks	Weight	Capacity	Export pallet	Qty/pallet
50-020-1000	6	110	+/- 600 hooks	option	280.000
50-020-1010	Pallet box	220x60x80cm			

HORTI TWINE

High UV resistance

Available in many colors

800/1000/1200/1400/1500 meter per kg



Article code	Color	Length/kg	Coil
50-040-2211	white	1/1000	6kg
50-040-2212	yellow	1/1000	6kg
50-040-2213	blue	1/1000	6kg
50-040-2201	white	1/1200	6kg
50-040-2202	yellow	1/1200	6kg
50-040-2203	blue	1/1200	6kg

BOBBIN



The Bobbin lets you lower the plant with a single movement of the hand, without lifting the plant. To do this, hang the bobbin on the crop wire. The sturdy twine gives reliable plant training. At the end of the cultivation, simply remove the twine from the bobbin.

Up to 19 m of twine.

Article code	Twine length	Fixation	Qty/box	Box/pallet	Qty/pallet
50-040-0034	4 m	no	800	20	16.000
50-040-0036	6 m	no	800	20	16.000
50-040-0038	8 m	no	800	20	16.000
50-040-0040	10 m	no	800	20	16.000
50-040-0050	12 m	no	800	20	16.000
50-040-0043	19 m	no	800	20	16.000

TOMAHAK



The Tomahaok is manufactured from high quality plastic called polycarbonate. This means that the hook lasts from 5 to 6 years and due to its translucency there is less light removal in the nursery. Due to the method of winding it is possible to put many metres of twine onto one small reel. As a result twine can be wound for 1 or for several years. (10 - 30 metre), bio twine is an option.

Article code	Type	Twine length	Twine type
50-040-2025	Hook only	—	—
50-040-2030	Coil	12 m	1/1200
50-040-2034	Coil	16 m	1/1200
50-040-2038	Coil	20 m	1/1200


GROUNDCOVER



Groundcover is a porous material woven from long-lasting polypropylene tapes. Groundcover is suitable for use in both green houses and outside; for professional growers as well as for small gardeners.

Article code	Color	dimension	Rolls/pallet
50-040-1560	white	3.30.x100m	25
50-040-1561	white	4.20x100m	25
50-040-1562	white	5.25x100m	25
50-040-1570	black	1.05x100m	25
50-040-1571	black	1.31x100m	25
50-040-1572	black	1.50x100m	25
50-040-1573	black	1.65x100m	25
50-040-1574	black	2.10x100m	25
50-040-1575	black	3.30x100m	25
50-040-1576	black	4.20x100m	25
50-040-1577	black	5.25x100m	25

These packs/rolls are appointed especially for sale in garden centres, hobby shops and markets. Customers can choose exact ground-cover pack / roll dimension which fits to their gardens or yards.



Article code	Color	Dimension	MOQ
50-040-1578	black	100x500 cm	360
50-040-1580	black	160x500 cm	216
50-040-1582	black	200x500cm	180



Article code	Material	Pcs/box
50-040-0137	plastic	2000
50-040-0138	metal	18.000

Short rolls groundcover from 0.5-2.1m, lengths 15 to 25m available on request

KNIVES



This lightweight knife has a blue plastic handle and can be used universally. Extremely suitable for harvesting bell pepper, cucumber and tomatoes. The rounded tip prevents damage to the plant or fruit.

Article code	blade	total	weight	Box
50-030-0750	45mm	140mm	16gram	50



Knife with a 40mm high-quality C60 steel blade, a rounded tip to prevent inadvertent damage to the plant and fruit. The knife has a blue plastic handle HACCP.

Article code	blade	total	weight	Box
50-030-0706	35mm	135mm	19gram	20



Grafting knife 7cm, plastic, red

Article code	blade	total	weight	Box
50-030-0707	65mm	170mm	45gram	6



Grafting knife 7.5cm, plastic, black

Article code	blade	total	weight	Box
50-030-0708	75mm	170mm	63gram	6



Leaf-Cutter set, PE blue, incl. 50 spare blades

Article code	blade	total	weight	Box
50-030-0722	25mm	162mm	41gram	6



Disinfection/milk knife has a built-in, large, durable, liquid reservoir. This reservoir holds the disinfecting solution. Four sets of colored plugs are provided with each knife to control the amount of disinfectant that is released from the reservoir onto the cutting blade. The K-8000 has a high carbon steel, round tip blade that has a V-cut cutting edge on one side only, to prevent damage while harvesting and to improve product quality and productivity

Article code	blade	total	weight	Box
50-030-0709	40mm	188mm	47gram	6

SHEARS



Set of orange utility scissors with 40mm stainless steel blades equipped with a safety lock. Because of the orange handles the scissors is always easy to find.

Article code	Length	Weight	Box	Set of
50-030-0725	150mm	60 gram	12	2
50-030-0719	150mm	60 gram	6	6



Fruit pruner with non-slip handles which are very comfortable to hold. "Marquenched "hardened blades give the blades the best steel structure and increased cutting performance. Ideal for harvesting

Article code	Length	Weight	Box
50-030-0701	160mm	90 gram	20
50-030-0702	170mm	100 gram	20

SHEARS



Pruning shears red

This pruning shears is equipped with a unique safety lock which provides extra security

Article code	Length	Weight	Size	Box
50-030-0703	178mm	210 g	S	5
50-030-0704	200mm	230 g	M	5
50-030-0705	227mm	310 g	L	5



Harvesting pruning shears 18.5cm, straight, orange.

Universal, lightweight with carbon-hardened and straight blades. The blades are provided with a black coating to prevent the adhesion of dirt. Ideal for fine pruning

Article code	length	weight	Box
50-030-0724	186mm	83 g	20



Rose pruning shears 21.5cm, cut and hold, orange

Article code	Length	Weight	Box
50-030-0700	215mm	245 g	6



Pruning shears 21cm, red, Budget-Line

Article code	Length	Weight	Box
50-030-0726	210mm	203 g	6

STAPLE GUNS



Stapling gun R23, metal, blister

A light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Superior performance and working life mean the R23E can easily handle regular use.

Article code	Type	weight	Box
50-030-0727	R23E	550 g	5
50-030-0731	No 13 galvanised	6mm	5000pc
50-030-0732	No 13 galvanised	8mm	5000pc

Stapling plier K1, 24/6-8, classic, box

The world's most sold plier and the favorite of every florist. For Rapid stapling NO. 24 and Nr. 26. Ideal for mail-rooms, shops, home and office.



Article code	Type	weight	Box
50-030-0728	K1	340 g	1
50-030-0733	Staples copper plated	6mm	5000pc



Hammertacker R19, for 13 serie, box

Lightweight, easy to handle hammers nailer perfect for regular, intensive use

Article code	Type	weight	Box
50-030-0729	R19	g	1
50-030-0731	No 13 galvanised	6mm	5000pc
50-030-0732	No 13 galvanised	8mm	5000pc

Stapling gun R13 (ABS), yellow, blister



Article code	Type	weight	Box
50-030-0730	R13E	300 g	1
50-030-0731	No 13 galvanised	6mm	5000pc
50-030-0732	No 13 galvanised	8mm	5000pc

CO2 HOSE



CO2 hoses contribute to the optimum growth of your crop. Punch \varnothing 0,8 mm. Other colors and HDPE on request.

Article code	Diameter \varnothing mm	Flat mm	Box/meter	Punch mm
20-042-6015	42	65	2000	150
20-042-6020	42	65	2000	200
20-042-6025	42	65	2000	250
20-042-6030	42	65	2000	300
20-042-6035	42	65	2000	350
20-042-6040	42	65	2000	400
20-042-6050	42	65	2000	500
20-042-6060	42	65	2000	600
20-042-6080	42	65	2000	800
20-042-6100	42	65	2000	1000

Article code	Diameter \varnothing mm	Flat mm	Box/meter	Punch mm
20-042-9015	60	94	1500	150
20-042-9020	60	94	1500	200
20-042-9025	60	94	1500	250
20-042-9030	60	94	1500	300
20-042-9035	60	94	1500	350
20-042-9040	60	94	1500	400
20-042-9050	60	94	1500	500
20-042-9060	60	94	1500	600
20-042-9080	60	94	1500	800
20-042-9100	60	94	1500	1000

Article code	Diameter \varnothing mm	Flat mm	Box/meter	Punch mm
20-042-6110	75	120	1000	150
20-042-6115	75	120	1000	200
20-042-6120	75	120	1000	250
20-042-6125	75	120	1000	300
20-042-6130	75	120	1000	350
20-042-6135	75	120	1000	400
20-042-6140	75	120	1000	500
20-042-6145	75	120	1000	600
20-042-6150	75	120	1000	800
20-042-6155	75	120	1000	1000

CO2 HOSE SUPPORT



We can produce customised CO2 support hooks upon request.

CO2 connection fitting made of PVC-U



Article code	Diameter mm	Length mm	Qty/box
20-040-0580	32	120	250
20-040-0581	40	120	175
20-040-0582	50	120	100
20-040-0583	63	135	50



All types of drossel discs, available on request. We can make a CO2 calculation for your plant.

HDPE TANKS



This assortment of round A & B Mix tanks has been carefully developed for you in order to mix your fertilizers as well as possible with water. The A & B Mix tanks ensure that your crop is optimally supplied with nutrients, resulting in a better yield and quality of your crop.

Article code	Diameter \varnothing cm	Capacity L	Height mm	Color
30-011-0501	097	700	1000	black
30-011-0502	116	1000	1000	black
30-011-0503	164	2000	1000	black
30-011-0504	210	3000	1000	black

LABELS FOR HDPE TANK

Article code	description
30-011-0509	Label "A", white 20cm
30-011-0510	Label "B", white 20cm
30-011-0511	Label "1", white 20cm
30-011-0512	Label "2", white 20cm
30-011-0513	Label "3", white 20cm
30-011-0514	Label "4", white 20cm
30-011-0520	Label "C", white 20cm
30-011-0515	Caution Corrosive substance - Symbol only



We can produce custom HDPE tanks!

LEVEL MEASUREMENT HDPE TANKS

Our level measurement products are the best way to determine the fertilizer level in a tank. We can offer the level detection sensors in various shapes and sizes.



Article code	Length	Connector
40-011-0010	1 meter	DIN43650, 3P
40-011-0011	2 meter	DIN43650, 3P



Article code	Length mm
40-011-0012	Rhythmstick guideplate with spring



Article code	Length mm
40-011-0013	Rhythmstick floater

IRRIGATION



We can offer complete irrigation projects. Open field and in the greenhouse. We offer:

- drip tape
- Drip lines
- Sprinklers
- Valves
- Tanks
- **Design support**

RECIRCULATION FANS



Air humidity that is too high is a problem in horticulture. It increases the risk of illness and infection. The fan brings air flow to the greenhouse. This fan creates balanced growth for your crops. The fan speed can be regulated so you can control the air flow speed. .

Optimal air distribution in your greenhouse

Article code	description
10-050-0001	Recirculation fan Ø 45cm
10-050-0010	Fanspeed controller 230V
10-050-0020	Set mounting brackets with bolt/nuts



PVC PIPES AND FITTINGS



Ceres Support BV

Address:

Bergakkerweg 15
8071CC Nunspeet
The Netherlands

Tel: +31(0)341275378

Mobile: +31(0)620637191

E-mail: vankoot.ceres@gmail.com

ING Bank N.V. Amsterdam

IBANnr: NL79INGB0006653768

BIC: INGBNL2A

Chamber of Commerce nr. 62072331

VAT nr. NL854631239B01

EORI-nr: NL854631239

